



INDEX MAPS.

**T. 4N, R. 5E. 2<sup>nd</sup> Mer.**



**T. 5N, R. 5E. 2<sup>nd</sup> Mer.**



The figures on the lines refer to the page.

Township N. 4 North, Range N. 3 East 2. Mer. Indiana

South Boundary.

Nest On Land<sup>m</sup> S. boundary of Sec. 36, T4N. R3E.  
 25.20 a Brook 10 hrs. wide Course S. 97.  
 33.50 a do 10 hrs. " " S. 97.  
 40.00 Let tempf. of Sec. post  
 50.00 a Brook 10 hrs. wide Course S. 97.  
 80.00 Let tempf. Mile post.  
 Middling Oak & Hickory, Beech timber. Soil.

Nest On Land<sup>m</sup> S. boundary of Sec. 35, T4N. R3E  
 24.50 a Brook 20 hrs. wide Course S. 97.  
 40.00 Let tempf. of Sec. post  
 80.00 Let tempf. Mile post. This mile over good  
 land, timber Beech & Poplar

Nest On Land<sup>m</sup> S. boundary of Sec. 34, T4N. R3E.  
 40.00 Let tempf. of Sec. post  
 80.00 Let tempf. Mile post. This mile over very  
 hilly land, timber Oak, Hickory &c.

Nest On Land<sup>m</sup> S. boundary of Sec. 33, T4N. R3E.  
 40.00 Let tempf. of Sec. post  
 80.00 Let tempf. Mile post. Land, timber &c. same

Nest On Land<sup>m</sup> S. boundary of Sec. 32, T4N. R3E.  
 40.00 Let tempf. of Sec. post  
 80.00 Let tempf. Mile post. Land the same quality

Nest On Land<sup>m</sup> S. boundary of Sec. 31, T4N. R3E.  
 40.00 Let tempf. of Sec. post.  
 77.84 Intersected the N of S line 27 hrs. South of  
 Low Course. Land flat, timber principally Beech.

T4N R3E, 2<sup>d</sup> Mer. Indiana

- East On true line S. boundary of Sec. 31, T4N. R3E.  
 37.84 Let the q. Sec. post on true line, from which  
 a Beech 15 in. dia. bear N25N5W. dist. of  
 an Ironwood 6 " " " N23W15 " "
- 77.84 Let a post Cor. to Sec. 31 & 32, T4N. R3E, from which  
 a W. Oak 10 in. dia. bear N6N27W. dist. of  
 a P. Oak 13 " " " N6E 8 " "

- East On true line S. boundary of Sec. 32, T4N. R3E.  
 40.00 Let the q. Sec. post on true line, from which  
 a Gum 12 in. dia. bear N66W26W. dist. of  
 a Sugar 15 " " " N66E 26 " "
- 80.00 Let a post Cor. to Sec. 32 & 33, from which  
 a Hickory 11 in. dia. bear N61E 14W. dist. of  
 a Do 10 " " " N16E. 18 " "

- East On true line S. boundary of Sec. 33, T4N. R3E.  
 40.00 Let the q. Sec. post on true line, from which  
 a Beech 10 in. dia. bear N52W6W. dist. of  
 a W. Oak 20 " " " S52E 19 " "
- 80.00 Let a post Cor. to Sec. 33 & 34, from which  
 a Dogwood 7 in. dia. bear N76W21W. dist. of  
 a P. Oak 10 " " " S40E 2 " "

- East On true line S. boundary of Sec. 34, T4N. R3E.  
 40.00 Let the q. Sec. post on true line, from which  
 a Dogwood 6 in. dia. bear S49E 3W. dist. of  
 a Do 5 " " " N19W27 " "
- 80.00 Let a post Cor. to Sec. 34 & 35, from which  
 a Beech 10 in. dia. bear N45E 24W. dist. of  
 a Do 12 " " " S22W23 " "

- East On true line S. boundary of Sec. 35, T4N. R3E.

Lot N 3 E 2<sup>d</sup> Mer. Indiana

- 40.00 Set the q. Sec. post on true line from which  
a Beech 10 in. dia. bears S 19° 26' W 4<sup>1</sup>/<sub>2</sub> lbs. dist. of  
a do 6 " " " N 23° 22' " "
- 80.00 Set a post Cor. to Sec. 35 & 36, from which  
a Beech 15 in. dia. bears S 43° 56' W 4 lbs. dist. of  
a do 8 " " " S 8 1/2° W 8 " "

East on true line S. boundary of Sec. 36, Lot N. 3 E.

- 40.00 Set the q. Sec. post on true line, from which  
a Beech 8 in. dia. bears S 63° E 11 lbs. dist. of  
an Iron? 6 " " " N 73° 25' " "
- 80.00 to Town Corner. September 28<sup>th</sup> 1876.

East Boundary

North On E. boundary of Sec. 36, Lot N. 3 E.

- 40.00 Set the q. Sec. post, from which  
a P. Oak 10 in. dia. bears N 1° E 17 lbs. dist. of  
a do 12 " " " S 20° W 29 " "
  - 66.80 a W. Oak 15 " "
  - 80.00 Set a post Cor. to Sec. 25 & 36, from which  
a Hickory 10 in. dia. bears S 52° E 9 lbs. dist. of  
a Dogwood 5 " " S 32° W 2 " "
- This mile over Protean Oak timbered land

North On E. boundary of Sec. 25, Lot N. 3 E.

- 3.04 a Beech 15 in. dia.
- 40.00 Set the q. Sec. post, from which  
a Maple 10 in. dia. bears S 30° E 13 lbs. dist. of  
a Hickory 10 " " " N 60° W 11 " "
- 48.45 a Maple 15 " "
- 58.50 a run 10 lbs. wide Course N. E.
- 67.00 a Brook 15 " " N. E.
- 80.00 Set a post Cor. to Sec. 24 & 25, from which

184

T4N R3E 2<sup>nd</sup> Mer. Indiana

a Sugar 6 in. dia. beam S20 E. 8 lks. dist. of  
 a Beech 6 " " " N34 W 17 " "  
 Last 1/2 mile over level Beech land

North On E. boundary of Sec. 24, T4N. R3E.

1.50 a Brook 10 lks. wide course E.  
 10.50 a Do 10 " " " N.W.  
 18.50 a Creek 350 " " " West (Muscoquituk)  
 27.55 a Beech 15 in. dia.  
 40.00 Let the q. Sec. post, from which  
 a Beech 20 in. dia. beam S49 E. 4 lks. dist. of  
 a Hickory 20 " " " N65 W 13 " "  
 70.65 a W. Oak 40 " "  
 80.00 Let a post Cor. to Sec. 13 of 24, from which  
 a Beech 10 in. dia. beam S60 E 8 lks. dist. of  
 a Do 10 " " " N80 W 12 1/2 " "  
 This mile over good level Beech timbered land

North On E. boundary of Sec. 13, T4N. R3E.

5.50 a Brook 5 lks. wide E. S.W.  
 28.50 a Beech 15 in. dia.  
 40.00 Let the q. Sec. post, from which  
 a Beech 6 in. dia. beam S52 W 16 lks. dist. of  
 a Gum 20 " " " N14 W 10 " "  
 70.10 a W. Oak 20 " "  
 80.00 Let a post Cor. to Sec. 12 of 13, from which  
 a Beech 20 in. dia. beam S2 E 29 lks. dist. of  
 a Do 24 " " " N57 W 17 " "  
 Level Beech timbered land underbrush Spice

North On E. boundary of Sec. 12, T4N. R3E.

40.00 Let the q. Sec. post, from which  
 a Hickory 20 in. dia. beam N85 E 16 1/2 lks. dist. of

T4N R3E 2<sup>d</sup> Mer. Indiana

a Dogwood 6 m. dia. beam N55W 3 lks. dist  
 66.15 a W. Oak 15 " "  
 80.00 Set a post Cor. to Sec. 9, 1412, from which  
 a Dogwood 6 m. dia. beam N60E 2 lks. dist of  
 a W. Oak 10 " " " S57W 19 " "  
 Over brushy level oak timbered land.

North On E. boundary of Sec. 1, T4N. R3E.

40.00 Set the q. Sec. post, from which  
 a P. Oak 10 m. dia. beam N42W 7 lks. dist of  
 a Hickory 20 " " " S45W 14 " "

80.00 Set a post Cor. to Townships N. 4 & 5 St. Range  
 N. 3 & 4 E. from which  
 a P. Oak 40 m. dia. beam S50E 32 lks. dist.  
 a Beech 10 " " " S60W 29 " "  
 This mile over level Oak & Hickory timbered  
 land very brushy.

## North Boundary

East On Rand<sup>m</sup>. S. boundary of Sec. 31, T5N. R3E.

40.00 Set temp. q. Sec. post

60.00 a Brook 10 lks. wide Course S. 91.

80.00 Set temp. Mile post.

Over very high hills, timber Oak, thin soil

East On Rand<sup>m</sup>. S. boundary of Sec. 32, T5N. R3E.

40.00 Set temp. q. Sec. post

80.00 Set temp. Mile post.

Land timber &c. same as on the last mile.

East On Rand<sup>m</sup>. S. boundary of Sec. 33, T5N. R3E.

40.00 Set temp. q. Sec. post, in the River bottom

71.11 a Brook 10 lks. South

T<sup>h</sup> N. R<sup>3</sup> E. T<sup>n</sup>. Mer. Indiana

80.00 Set tempf. Mile post.  
Land flat, timber Beech &c.

East On Rand<sup>m</sup>. S. boundary of Sec. 34, T<sup>h</sup> N. R<sup>3</sup> E.  
40.00 Set tempf. of Sec. post  
80.00 Set tempf. Mile post.  
Land the Same, flat, timber Beech, Elm &c

East On Rand<sup>m</sup>. S. boundary of Sec. 35, T<sup>h</sup> N. R<sup>3</sup> E.  
5.00 a Brook 10 lks. wide Cr. South  
39.11 to White River  
80.00 tempf. in White River.  
Land timber &c. Same as on the last mile

East On Rand<sup>m</sup>. S. boundary of Sec. 36, T<sup>h</sup> N. R<sup>3</sup> E.  
40.00 Set tempf. of Sec. post  
74.00 Intersected the N of S. <sup>line</sup> 20 lks. S. of Town Corner  
Land level.

West On true line S. boundary of Sec. 36, T<sup>h</sup> N. R<sup>3</sup> E. N. 6. 30'  
27.00 a ——— 20 in. dia.  
40.00 Set the of. Sec. post, from which  
a Locust 15 in. dia. bears S 80 E 40 lks. dist. of  
a Beech 20 " " " N 52 E 2 1/2 " "  
72.00 Set a post on White River, from which  
a W. Ash 20 in. dia. bears N 20 E 16 lks. dist. of  
a Hickory 20 " " " S 30 W 11 " "  
80.00 Set a post Cor. to Sec. 35 & 36, T<sup>h</sup> N. R<sup>3</sup> E. from which  
a Locust 8 in. dia. bears N 83 E 45 lks. dist. of  
on the N.W. side of the River

West On true line S. boundary of Sec. 35, T<sup>h</sup> N. R<sup>3</sup> E.  
20.42 to a Maple on the River bank 8 in. dia.

## Twp. R3E. T5N. Indiana

- 35.50 Set a post on the River bank, from which  
a Mulberry 8 m. diam. bear S67°W 21 lbs. dist. of  
a Sugar 10 " " " N6E 12 " "
- 40.00 Set the q. Sec. post, from which  
a Cherry 5 m. diam. bear S44°W 18 lbs. dist. of  
a Red bud 6 " " " S74°W 14 " "
- 80.00 Set a post Cor. to Secs. 34 & 35, T5N. R3E, from which  
a Beech 20 m. diam. bear N10E 16 lbs. dist. of  
a Do 8 " " " N8°W 18 " "

- Post On true line S. boundary of Sec. 34, T5N. R3E.  
40.00 Set the q. Sec. post, from which  
a Beech 20 m. diam. bear N22°W 8 lbs. dist. of  
a Do 6 " " " S67E 9 " "
- 80.00 Set a post Cor. to Secs. 33 & 34, T5N. R3E, from which  
a Beech 12 m. diam. bear N37E 14 lbs. dist. of  
a Do 30 " " " N32°W 22 " "

- Post On true line S. boundary of Sec. 33, T5N. R3E.  
40.00 a Beech 6 m. diam. Marked for q. Sec. Corner  
80.00 Set a post Cor. to Secs. 32 & 33, T5N. R3E, from which  
a Beech 20 m. diam. bear S80E 20 lbs. dist. of  
a Do 8 " " " S24°W 11 " "

- Post On true line S. boundary of Sec. 32, T5N. R3E.  
17.50 a Brook 18 lbs. wide Course West  
40.00 a P. Oak 10 m. diam. Marked for q. Sec. Corner  
80.00 a W. Oak 20 " " Marked for Cor. to Secs. 31 & 32  
T5N. Range 3E.

- Post On true line S. boundary of Sec. 31, T5N. R3E.  
40.00 Set the q. Sec. post on true line from which  
a W. Oak 20 m. diam. bear S10E 17 lbs. dist. of

## T4N R3E T. Mer. Indiana

a Logwood 6 in. dia. beam S54°W 12 lks. dist.  
74.61 To the Town Corner.

## West Boundary

North On E. boundary of Sec. 36, T4N. R2E.  
12.50 a Creek 200 lks. wide Course N.W.  
23.00 Do 200 " " " N.E.  
25.00 a Beech 15 in. dia.  
40.00 Let the q. Sec. post, from which  
a B. Oak 10 in. dia. beam N84°W 8 lks. dist. ✓  
a W. Oak 5 " " " N57°E 2 " "  
48.50 a Creek 200 lks. wide Course N.  
55.00 to where it turns N.W.  
64.50 Same Creek Course N.  
68.00 to where it turns N.W.  
80.00 Let a post Cor. to Sec. 25 of 36, T4N. R2E, from which  
a Beech 10 in. dia. beam N88°W 26 lks. dist. ✓  
a Logw. 5 " " " N40°E 14 1/2 " "  
Good farming land

North On E. boundary of Sec. 25, T4N. R2E.  
30.50 a W. Ash 24 in. dia.  
40.00 Let the q. Sec. post, from which  
a Gum 20 in. dia. beam N24°W 20 lks. dist. ✓  
a Beech 8 " " " S9°E 22 " "  
75.00 a Brook 10 lks. wide Course N.E.  
80.00 Let a post Cor. to Sec. 24 of 25, T4N. R2E, from which  
a Sugar 10 in. dia. beam S35°E 7 lks. dist. ✓  
a Beech 40 " " " S77°W 13 " "  
This mile over rich broken land, timber Sugar  
Poplar &c.

North On E. boundary of Sec. 24, T4N. R2E.

T4st. R3E. 2<sup>nd</sup>. Mer. Indiana

- .06 a Sugar 12 mi. dist.
- 40.00 Let the q. Sec. post, from which  
a W. Oak 40 mi. dist. bear S15E 23 lks. dist. of  
a Hackberry 5 " " " N60W 9 " "
- 43.56 Let a post on the Left bank of White River, from which  
an Ironwood 10 mi. dist. bear N18E 14 lks. dist. of  
a Do 8 " " " S53E 13 " "
- Variation E. 30. E.
- 53.21 Let a post on the Right bank of White river, from which  
a Red bud 8 mi. dist. bear S15W 7 lks. dist. of  
a Locust 20 " " " N8E 24 " "
- 80.00 Let a post Cor. to Sec. 13 & 24, T4st. R2E. from which  
a Hackberry 20 mi. dist. bear South 43 lks. dist. of  
an Elm 20 " " " S58W 23 " "
- Strip mile over level land timber ash, elm, maple

North On E. boundary of Sec. 13, T4st. R2E.

- 30.00 a Beech 20 mi. dist.
- 40.00 Let the q. Sec. post, from which  
a Beech 15 mi. dist. bear S5W 48 lks. dist. of  
an Elm 12 " " " S76W 16 " "
- 76.00 a Spring run 3 lks. wide Course N.W.
- 80.00 Let a post Cor. to Sec. 12 & 13, T4st. R2E. from which  
a Beech 8 mi. dist. bear S12W 10 lks. dist. of  
a Do 8 " " " N22E 13 " "
- Land rich and rolling, timber Poplar, Beech &c

North On E. boundary of Sec. 12, T4st. R2E.

- 28.00 a Brook 4 lks. wide Course N.
- 40.00 Let the q. Sec. post, from which  
a Hickory 10 mi. dist. bear S80W 28 lks. dist. of  
a Beech 8 " " " N79W 25 " "
- 46.00 a W. Oak 20 " "

T4 N. R3 E. 2<sup>d</sup>. Mer. Indiana

71.50 a W. Oak 23 in. dia.

80.00 Set a post Cor. to Sec. 1 & 12, T4 N. R3 E. from which  
a W. Oak 15 in. dia. bears S73°19' W. 9 lks. dist. of  
an Iron? 6 " " " S8 E 40 " "  
Over hilly land, timber Oak & Hickory

North On E. boundary of Sec. 1, T4 N. R2 E.

5.50 a Brook 10 lks. wide Course W.

40.00 Set the of. Sec. post, from which  
a Beech 8 in. dia. bears S58 E 11 lks. dist. of  
a do 6 " " " N75 W 4 " "

72.00 a Brook 12 lks. wide Course S. W.

77.00 a do 12 " " " S E.

80.00 Set a post Cor. to Township N. 4 & 5 North  
Range N. 2 & 3 East, from which  
a Beech 6 in. dia. bears S34 W 7 lks. dist. of  
a Dogwood 6 " " " N51 W 13 " "

Land the same very hilly.

Surveyed in 1806 by Arthur Henrie, Dep. Sur.

## Subdivision

May 26<sup>th</sup> 1807. variation 6.00' E.

North Between Sec. 35 & 36, T4 N. R3 E.

25.50 a Brook 20 lks. wide Course S. W.

40.00 Set the of. Sec. post from which  
a Beech 30 in. dia. bears S32 E 8 lks. dist. of  
a do 7 " " " N15 E 20 " "

80.00 Set post Cor. to Sec. 25, 26, 35, 36. From which  
a Hickory 10 in. dia. bears N78 E 30 lks. dist. of  
a do 5 " " " S60 W 11 " "

the first half mile level the principal timber

Beech some poplar ash & Ironwood, good farming

Land the last half mile 3<sup>d</sup> rate Hills.

T4 N R3 E 2<sup>d</sup> Mer. Indiana

East On Random line Between Sec<sup>s</sup>. 25, 36 T4 N. R. 3 E  
 40.00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post  
 79.33 Intersected the N. & S. line 2.16 lks. North of the post  
 the greatest part of this mile 3<sup>d</sup>. rate Hills.

West On true line Between Sec<sup>s</sup>. 25, 36 T4 N. R. 3 E.  
 39.66 Set the q<sup>t</sup>. Sec. post at average dist. from which  
 a Beech 8 in. dia<sup>t</sup>. bears S17E 7 lks. dist. &  
 a No 7 " " " West 2 " "  
 79.33 to Sec. Corner

North Between Sec<sup>s</sup>. 25, 26 T4 N. R. 3 E. 6.00  
 40.00 Set the q<sup>t</sup>. Sec. post from which  
 a Beech 7 in. dia<sup>t</sup>. bears N42E 14 lks. dist. &  
 a B. Oak 24 " " " N15W 20 " "  
 40.00 Set post Corner to Sec<sup>s</sup>. 23, 24, 25, 26. from which  
 a Beech 18 in. dia<sup>t</sup>. bears S57E 19 lks. dist. &  
 a Chusnut 14 " " " N34W 34 " "  
 this mile 3<sup>d</sup>. rate Hills very brushy and steep

East On Random line Between Sec<sup>s</sup>. 24, 25 T4 N. R. 3 E.  
 40.00 Set the temp<sup>y</sup>. q<sup>t</sup>. Sec. post  
 79.27 Intersected the N. & S. line 1.36 lks. North of post.  
 this mile 3<sup>d</sup>. rate Hills timber Chesnut Oak Hick<sup>y</sup>.

West On true line Between Sec<sup>s</sup>. 24, 25 T4 N. R. 3 E.  
 39.63 Set the q<sup>t</sup>. Sec. post at average dist. from which  
 a C. Oak 12 in. dia<sup>t</sup>. bears N78W 23 lks. dist. &  
 a Hickory 6 " " " N76E 27 " "  
 79.27 to Sec. Corner

North Between Sec<sup>s</sup>. 23 & 24 T4 N. R. 3 E.  
 37.00 to the Muscokitick river 2.60 lks. wide Cor. West

T4N R3E. 2<sup>d</sup>. Mer. Indiana

- 40.00 Set the qf. Sec. post from which  
 a Beech 4 in. dia. bears S 76 E 9 lks. dist. &  
 a Sugar 10 " " " N 63 W 17 " "
- 40.00 Set a post Corner to Sec. 13, 14, & 23, 24 T4N. R. 3E.  
 from which a Beech 12 in. dia. bears S 64 E 3 lks. dist. &  
 a Do 18 " " " N 64 W 29 " "
- this mile part Hilly and part river Bottom  
 the first half good farming land timber Beech  
 Sugar Maple &c May 27<sup>th</sup> 1807.

North Between Sec. 34 & 35 T4N. R. 3E.

- 40.00 Set the qf. Sec. post from which  
 a Beech 10 in. dia. bears S 83 W 3. lks. dist. &  
 a Do 6 " " " N 83 E 33. " "
- 19.00 Creek 50 lks. wide Cor<sup>r</sup>. N. W.
- 40.00 Set a post Corner to Sec. 26, 27, 34, 35. from which  
 a Beech 9 in. dia. bears N - W 5 lks. dist. &  
 a Do 14 " " " S - E 36 " "
- the first half mile 3<sup>d</sup>. rate Hilly the last creek  
 bottom and middling farming land

East On Random line Between Sec. 26 & 35 T4N. R. 3E

- 40.00 Set temp<sup>y</sup>. qf. Sec. post  
 77.56 Intersected N. & S line 84. lks. South of post  
 this mile rolling land timber Beech Oak  
 Ash &c middling farming land

West On true line Between Sec. 26 & 35 T4N. R. 3E

- 38.78 Set the qf. Sec. post at average dist. from which  
 a Beech 16 in. dia. bears N 22 W 7 lks. dist. &  
 a Do 30 " " " S 75 W 19 " "
- 77.56 to Sec. Corner.

## T4 N. R3 E. 2. Mer. Indiana

May 28<sup>th</sup> 1807 variation 5. 30. E

East On Rand. betw. Sec. 13 &amp; 24, T4 N. R3 E.

40.00 Set temp. of Sec. post

60.00 a Small branch Course S. W.

78.87 Intersected the N & S. line 110 lbs. N. of post  
Level of post rolling, timber Beech, Sugar,  
Poplar, Ash, Walnut &c. good farming land

West On true line between Sec. 13 &amp; 24, T4 N. R3 E.

39.43 Set of Sec. post at average dist. from which  
a Beech 14 m. dist. bear N 15 W 10 lbs. dist. of  
a Do 8 " " " N 6 W 46 " "

78.87 to Section Corner.

West Between Sec. 14 &amp; 23, T4 N. R3 E.

40.00 Set the of Sec. post, from which  
a Beech 27 m. dist. bear S 51 W 11 lbs. dist. of  
a do 18 " " " N 37 W 17 " "79.50 to White River Set a post Cor. to Sec. 14 & 23, from which  
a Willow 8 m. dist. bear S 83 E 14 lbs. dist. of  
a Maple 6 " " " N 76 W 6 " "This mile Over bottom rich Soil, timber Beech,  
Sugar, Poplar, Ash &c some Walnut & Mulberry  
good farming land

North Between Sec. 13 &amp; 14, T4 N. R3 E.

40.00 Set the of Sec. post, from which  
a P. Oak 20 m. dist. bear N 66 E 39 lbs. dist. of  
an Elm 36 " " " — 12 " "80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which  
a Hickory 8 m. dist. bear N 74 E 17 lbs. dist. of  
a Beech 7 " " " S 2 W 19 " "The 1<sup>st</sup> 1/2 mile rolling — the last river bottom

T4N R3E 2<sup>d</sup> Mer. Indiana

Timber same 1<sup>st</sup> rate farming land.

East On Rand<sup>m</sup> betw<sup>n</sup> Sec. 12 & 13, T4N R3E.

40.00 Let the q. Sec. post

78.84 Intersected the E. boundary 123 lks. S. of post  
Land rolling timber Beech, Oak, Poplar &c  
good farming land.

West On true line between Sec. 12 & 13, T4N R3E.

39.42 Let the q. Sec. post at average dist. from which  
a Poplar 20 in. dia. beam S 35 E 9 lks. dist. of  
a Beech 12 " " " N 26 W 23 " "

78.80 to Sec. Corner.

West Between Sec. 11 & 14, T4N R3E.

40.00 Let the q. Sec. post, from which  
a Hickory 11 in. dia. beam S 88 W 3 lks. dist. of  
a Hackberry 20 " " " S 3 E 20 " "

55.94 Let a post on the left bank of White river from which  
a Poplar 6 in. dia. beam N 40 E 15 lks. dist. of  
an Elm 8 " " " S 23 E 35 " "

This mile 1<sup>st</sup> rate bottom, timber Buckeye, Hickory,  
Walnut, Elm, Locust &c. This bottom overflows  
in time of high water

North Between Sec. 11 & 12, T4N R3E.

40.00 Let the q. Sec. post, from which  
a Beech 5 in. dia. beam S 25 E 14 lks. dist. of  
a Do 10 " " " N 28 W 19 " "

80.00 Let a post cor. to Sec. 1, 2, 11 & 12, from which  
a Beech 10 in. dia. beam S 69 W 7 lks. dist. of  
a Do 5 " " " N 1 E 15 " "

This mile own bottom good farming land, timber

T4N R3E 2<sup>d</sup> Mer. Indiana

Beech, Sugar, Ash, Walnut &c.

West Between Sect. 2 & 11, T4N. R3E.  
 40.00 At the q. Sec. post, from which  
 a P. Walnut 18 in. dia. bay N 36 E 25 lks. dist. &  
 a Beech 5 " " " N 64 W 34 " "  
 55.52 to White river, set a post Cor. to Sect. 2 & 11, from which  
 a Beech 5 in. dia. bay N 89 W 8 lks. dist. &  
 a Do 6 " " " S 21 W 6 " "  
 Land timber same good farming land

East On Rand. between Sect. 1 & 12, T4N. R3E.  
 18.50 a Brook 12 lks. wide Course S.  
 40.00 At temp. q. Sec. post  
 79.00 Intersected the N. & S. line 10 lks. N. of post  
 1 1/2 mile 1<sup>st</sup> rate farming land well timbered

West On true line betw. Sect. 1 & 12, T4N. R3E.  
 39.50 At the q. Sec. post at average dist. from which  
 a Sugar 5 in. dia. bay S 4 E 4 lks. dist. &  
 a Hickory 14 " " " N 29 W 17 " "  
 79.00 to Sec. Corner.

North Between Sect. 1 & 2, T4N. R3E.  
 40.00 At the q. Sec. post, from which  
 a Beech 20 in. dia. bay S 77 W 3 lks. dist. &  
 a Do 24 " " " S 69 E 7 3 " "  
 68.62 a Beech 10 in. dia. on the Left bank of W. River, marked  
 for corner to Sect. 1 & 2, T4N. R3E.  
 This mile river bottom, timber Beech, Sugar, Ash,  
 Poplar, Walnut &c. undg. <sup>in</sup> Spruce, good farming land.

North Between Sect. 26 & 27, T4N. R3E. var. 7.00 E.

T4N. R3E. 2<sup>d</sup>. Mer. Indiana

40.00 Set the q. Sec. post from which  
 a Beech 14 in. dia. bear N 83<sup>o</sup> 41' 17" W. dist. of  
 a Do 24 " " " S 71<sup>o</sup> E 37 " "

80.00 Set a post Corner to Sec. 22, 23, 26 & 27 from which  
 a Poplar 18 in. dia. bear N 41<sup>o</sup> E 18 W. dist. of  
 a Beech 11 " " " S 89<sup>o</sup> 41' 53 " "

This mile hilly land, timber Beech, Poplar, Oak &c.  
 the ridges covered with Chestnut oak poor  
 farming land.

East On Rand. G. betw. Sec. 23 & 26, T4N. R3E. var. 6.00!

40.00 Set temp. q. Sec. post  
 79.60 Intersected the N. & S. line 72 W. N. of the post  
 Land & timber same hills very high & steep  
 and very brushy.

West On true line between Sec. 23 & 26, T4N. R3E.

39.80 Set the q. Sec. post at average dist. from which  
 a Chestnut 27 in. dia. bear S 42<sup>o</sup> E 25 W. dist. of  
 a Sugar 14 " " " S 86<sup>o</sup> 41' 3 " "

79.60 to Sec. Corner.

North Between Sec. 22 & 23, T4N. R3E. var. 6.10!

40.00 Set the q. Sec. post, from which  
 a Beech 24 in. dia. bear S 46<sup>o</sup> E 24 W. dist. of  
 a Do 10 " " " N 12<sup>o</sup> 41' 25 " "

71.78 on Elm 18 in. dia. on the left bank of White river  
 marked for Cor. to Sec. 22 & 23, T4N. R3E.  
 This mile part hilly & part rolling, timber Beech  
 Poplar, Ash &c. Middling good farming land

North Between Sec. 33 & 34, T4N. R3E. var. 6.00!

40.00 a Sugar 9 in. dia. marked for q. Sec. Corner.

T4N R3E.2<sup>d</sup>. Mer. Indiana

80.00 Set a post Cor. to Sect. 27 & 28, 33 & 34, from which  
 a Beech 12 m. dia. bear N 86° W 7 lks. dist. of  
 a do 15 " " " " S 80 E 37 " "  
 The 1<sup>st</sup> 1/2 mile very hilly, the last 1/2 bottom  
 timber, Beech, Sugar, Oak, Poplar &c. the last  
 half, middling good farming land.

East On Land betw<sup>n</sup> Sect. 27 & 34 T4N R3E. var. 5.30'

4.00 a creek 50 lks. wide Course N.  
 40.00 a do 50 " " " " S. W.  
 47.00 a do 50 " " " " N. E.  
 78.22 Intersected the N & S. line 120 lks. S. of the post.  
 This mile Creek bottom, the 1<sup>st</sup> 1/2 mile good  
 farming land, the last 1/2 low & wet, timber  
 principally Beech,

West On true line between Sect. 27 & 34, T4N R3E.

39.11 Set of. Sec. post at average dist. from which  
 a Beech 12 m. dia. bear S 19° W 24 lks. dist. of  
 a do 24 " " " " N 16 E 30 " "  
 78.22 to Sec. Corner.

North Between Sect. 27 & 28, T4N R3E. var 7.30' E

4.50 a creek 50 lks. wide Course W.  
 9.00 a do 10 " " " " N. W.  
 40.00 Set the of. Sec. post, from which  
 a Beech 24 m. dia. bear S 42 E 31 lks. dist. of  
 a P. Oak 27 " " " " N 68 W 3 " "  
 80.00 Set a post Cor. to Sect. 21, 22, 27 & 28, from which  
 a W. Oak 15 m. dia. bear S 12 E 9 lks. dist. of  
 a do 14 " " " " N 52 W 29 " "  
 The 1<sup>st</sup> 3/4 of this mile Creek bottom rather low  
 & wet - last 1/4 hilly about middling farming land

T. 4 N. R. 3 E. 2<sup>d</sup> Mer. Indiana

timber principally Beech Open woods

East On Random Between Sec. 22 &amp; 27 T. 4 N. R. 3 E. var. 6.50

40 . 00 Set the temp. q. Sec. post

79 . 53 Intersected N. &amp; S. line 84 lks. South of post

this mile Hills good soil timber Beech Sugar Poplar  
Oak, &c poor farming land

West On true line between Sec. 22 &amp; 27 T. 4 N. R. 3 E.

39 . 76 Set the q. Sec. post at average dist. from which

a Chestnut Oak 27 in. dia. bears S 22 E 30 lks. dist. &amp;

and Ironwood 10 " " " N 47 W 17 " "

79 . 53 to Sec. Corner

North Between Sec. 21 &amp; 22 T. 4 N. R. 3 E. var. 6.15

40 . 00 Set the q. Sec. post from which

a Beech 18 in. dia. bears S 20 E 19 lks. dist. &amp;

a Sugar 10 " " " N 1 E 29 " "

40 . 00 Set the post Cor. to Sec. 15, 16, 21, 22. from which

a W. Oak 27 in. dia. bears S 50 W 17 lks. dist. &amp;

a Do 27 " " " N 27 E 6 " "

Land Hilly timber Oak Beech Chestnut &c poor  
farming land

East On Random line Between Sec. 15 &amp; 22 T. 4 N. R. 3 E.

28 . 04 to the river set post Cor. to Sec. 15 &amp; 22. from which

a Beech 13 in. dia. bears N 48 W 30 lks. dist. &amp;

an Elm 6 " " " S 57 E 12 " "

This line Part rich Hills and part bottom the bet.  
tom is about 5 Chances wide good soil timber Beech  
Sugar poplar &c

North Between Sec. 15 &amp; 16 T. 4 N. R. 3 E.

T4 N. R3 E. 2<sup>nd</sup> Mer. Indiana

10 . 00 a Small lake 10 Chains wide  
 32 . 67 (to the river) Set post Cor. to Sec. 15 & 16. from which  
 a Sycamore 6 in. dia. bears N 35 E 18 lks. dist. &  
 a Do 6 " " " S 20 W 7 " "  
 Over first rate Bottom which overflows very broken

North Between Sec. 32 & 33, T4 N. R. 3 E. May 30<sup>th</sup> 1807. var. 6. 48  
 40 . 00 Set the q. Sec. post from which  
 a Dogwood 7 in. dia. bears S 18 W 10 lks. dist. &  
 a Beech 5 " " " N 1 E 24 " "  
 80 . 00 Set a post Cor. to Sec. 28, 29, 32, 33 from which  
 a Beech 5 in. dia. bears S 61 E 2 lks dist. &  
 a Hickory 15 " " " N W 9 " "  
 This mile middling level timber Oak Hickory Poplar  
 Beech &c middling farming land

East On Random line Between Sec. 28, 33, T4 N. R. 3 E  
 40 . 00 Set temp<sup>y</sup>. q. Sec. post.  
 80 . 30 Intersected the N. & S. line 1.11. lks. North of post.  
 Land Hilly Timber same poor farming land

West On true line Between Sec. 28, 33, T4 N. R. 3 E var. 6. 40  
 40 . 15 Set q. Sec. post at average dist. from which  
 a Dogwood 6 in. dia. bears S 6 W 13 lks. dist. &  
 a Do 8 " " " N 32 E 6 " "  
 80 . 50 To Sec. Corner

North Between Sec. 28 & 29, T4 N. R. 3 E var. 7. 30  
 35 . 00 a creek 50 lks. wide Cor. S. N. W.  
 40 . 00 Set the q. Sec. post from which  
 a Beech 16 in. dia. bears S 15 E 12 lks. dist. &  
 a Do 16 " " " N 11 E 9 " "  
 71 . 50 a Small Springs Brook Cor. S. W.

# Twp. 1 N 3 E, 2<sup>d</sup> Mer. Indiana

80 . 00 Let a post Cor. to Sec. 20, 21. 1/4. 28. 29. from which  
 a Beech 6 in. dia. bears S 65 W 12 lks. dist. 1/4  
 a Do 15 . . . . N 57 E 48 . . . .  
 the first half mile Land and timber same the last  
 half Creek Bottom and middling farming land

East On Random line between Sec. 20, 21, 24, N. R. 3 E

40 . 00 Let the q. Sec. post, temporarily

48 . 00 a Small Brook Cor. S. W.

79 . 62 Intersected the N. 1/4 S. line 30. lks. N. of post  
 this mile part Hilby and part Creek Bottom the  
 three first 1/4. miles good farming land Soil very rich

West On true line between Sec. 21, 24, N. R. 3 E

39 . 81 Let the q. Sec. post at average dist. from which  
 a W. Walnut 12 in. dia. bears N 61 E 22 lks. dist. 1/4  
 a Beech 7 . . . . S 69 W 17 . . . .

79 . 62 to Sec. Corner

North Between Sec. 20, 21, 24, N. R. 3 E var. 6.15

40 . 00 Let the q. Sec. post from which  
 a Beech 13 in. dia. bears S 43 W 13 lks. dist. 1/4  
 a Hickory 4 . . . . N 8 W 19 . . . .

73 . 40 (to the river) Let a post Cor. to Sec. 20, 21. from which  
 a Beech 10 in. dia. bears S 36 W 6 lks. dist. 1/4  
 a Dogw. 6 . . . . N 82 E 16 . . . .  
 this mile Hilby very rich Soil timber Beech Sugar  
 Ash poplar Walnut middling good farming land

West Between Sec. 16, 21, 24, N. R. 3 E

40 . 00 Let the q. Sec. post from which  
 a Sugar 15 in. dia. bears N 53 E 20 lks. dist. 1/4  
 a Do 16 . . . . S 44 W 26 . . . .

Sp N 3 E. 2<sup>nd</sup> Mer. Indiana

201

49 . 32 (to the river) a Sycamore 14 in. dia. for Cor. to Sec.  
16 1/2, 21, 24 N. R. 3 E.  
this mile river bottom good farming land Timber  
Beech Sugar Ash &.

North Between Sec. 31 1/2, 32 & 34 N. R. 3 E. May 31<sup>st</sup> 1807, var. 7.00  
40 . 00 Set the q<sup>r</sup>. Sec. post from which  
a Beech 6 in. dia. bears N 3 W 21 lks. dist. &  
a Do 11 " " " S 34 W 17 " "  
80 . 00 Set a post Cor. to Sec. 29, 30, 31, 32, from which,  
a Poplar 15 in. dia. bears N 86 W 4 lks. dist. &  
a Hickory 7 " " " S 26 E 15 " "  
this mile Hilly & poor Timber Oak & Hickory

East On Random Between Sec. 29, 32 & 34 N. R. 3 E  
40 . 00 Set the temp<sup>l</sup>. q<sup>r</sup>. Sec. post  
79 . 80 Intersected the N. & E. line 1.36 lks South of post  
Land and timber same

West On true line Between Sec. 29 1/2, 32 & 34 N. R. 3 E  
39 . 75 Set the q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 5 in. dia. bears S 54 W 9 lks. dist. &  
a Cassiafras 13 " " " N 57 E 1 " "  
79 . 50 To Sec. Corner

West Between Sec. 30 1/2, 31 & 34 N. R. 3 E var. 6.40  
40 . 00 Set the q<sup>r</sup>. Sec. post from which  
a W. Oak 15 in. dia. bears S 77 E 12 lks. dist. &  
a Dogwood 6 " " " West 22 " "  
74 . 00 Intersected the W. Boundary 1.66 lks. S. of post  
Set a post Cor. to Sec. 30 1/2, 31, from which  
a Beech 6 in. dia. bears S 88 E 18 lks. dist. &  
a Do 16 " " " S 51 E 12 " "

T4 N. R3 E. 2<sup>d</sup> Mer. Indiana

Land very Hilly Timber Beech, Sugar, Poplar Oak  
Hickory &c. poor farming land

- 
- North Between Sect. 29 & 30, T4 N. R. 3 E. var. 7.30
- 40 . 00 Set the q. Sec. post from which  
a W. Walnut 13 in. dia. bears S29 E 22 lks. dist. &  
an Ironwood 5 " " " N31 E 8 " "
- 40 . 00 Set a post Cor. to Sect. 19, 20, 29 & 30. from which  
a Beech 12 in. dia. bears N18 W 11 lks. dist.  
a Do 11 " " " S20 E 46 " "
- the first 1/2 mile same, last half rolling and  
good farming land
- 

- East On Random Between Sect. 20 & 29, T4 N. R. 3 E.
- 34 . 00 a Creek 60 lks. wide Cor. N. W.
- 40 . 00 Set temp. q. Sec. post
- 78 . 53 Intersected N. S. line 1.38 lks North of post  
this mile Creek bottom the first half mile rather  
low & wet the last half rich and very good farmi-  
ng land timber Beech Sugar Poplar Ash &c
- 

- West On true line Between Sect. 20 & 29, T4 N. R. 3 E
- 39 . 26 Set the q. Sec. post at average dist. from which  
a Beech 12 in. dia. bears N13 E 22 lks. dist. &  
a Do 5 " " " S30 E 19 " "
- 78 . 53 to Sec. Corner
- 

- West Between Sect. 19 & 30, T4 N. R. 3 E var. 6.40
- 40 . 00 Set the q. Sec. post from which  
a Beech 9 in. dia. bears S3 W 10 lks. dist. &  
a Sugar 16 " " " N23 W 6 " "
- 71 . 02 Intersected the W. Boundary 32 lks. S. of post  
Set a post Cor. to Sect. 19 & 30 from which

Tract N3 E. 2<sup>d</sup> Mer. Indiana

a Sugar 18 in. dia. bears S 55 W 18 lks dist. of  
a Do 14 " " " N 41 E 18 " "  
this mile bottom good farming land timber  
Beech Sugar Poplar &c

North Between Secs. 19 & 20, Tract N3 E.

40.00 Set the q. Sec. post, from which  
a Beech 13 in. dia. bears N 36 E 8 lks. dist. of  
a Do 14 " " " S 53 W 32 " "

80.00 Set a post Cor. to Secs. 17, 18, 19 & 20, from which  
a Sugar 11 in. dia. bears N 30 E 4 lks. dist. of  
a M. Ash 15 " " " N 82 W 22 " "

This mile bottom land, the 1 1/2 mile, the timber  
is principally Beech, the last 1/2 mile 1<sup>st</sup>  
rate bottom, timber Locust, Buckeye, Elm,  
Walnut &c. good farming land.

East Between Secs. 17 & 20, Tract N3 E. var. 6. 40!

2. 84 a Sugar 6 in. dia. on the Left bank of White R.  
Cor. to Secs. 17 & 20, Tract N3 E.  
Sand timber &c. same as on the last mile

North Between Secs. 17 & 18, Tract N3 E. var. 6. 40!

6. 98 Set a post on Left bank of White R. from which  
a Sycamore 48 in. dia. bears S 10 E 15 lks. dist. of  
a Beech 14 " " " N 49 W 20 " "  
Sand timber &c. same as on the last mile

West Between Secs. 18 & 19, Tract N3 E. var. 6. 40!

40.00 Set the q. Sec. post, from which  
a Beech 20 in. dia. bears S 29 W 7 lks. dist. of  
a Do 35 " " " N 9 E 29 " "

41.43 Set a post on Left bank of White River, from which

T4 N. R3 E, 2<sup>nd</sup> Mer. Indiana

an Elm 10 in. dia. bear S80<sup>W</sup> 8<sup>1/2</sup> U. dist. of  
 a P. Oak 5 " " " N35<sup>E</sup> 12 " "

This mile 1<sup>st</sup> rate bottom, timber Hackberry  
 Locust, Walnut &c.

Meanders of the left bank of White River  
 Commenced on the West boundary of Sec.  
 19, T4 N. R3 E. Thence up stream. June 4<sup>th</sup> 1807

N50 <sup>E</sup>	6.07	mi Sec. 19, T4 N. R3 E.
N42 <sup>E</sup>	8.60	
N34 <sup>E</sup>	22.00	at 10.50 a creek 20 <sup>1/2</sup> mi. wide
N49 <sup>E</sup>	3.90	
N41 <sup>E</sup>	4.50	
N24 <sup>E</sup>	1.29	to line between Sec. 18 & 19

N48 <sup>E</sup>	5.30	mi Sec. 18, T4 N. R3 E.
N42 <sup>E</sup>	5.43	
N48 <sup>E</sup>	19.19	
N58 <sup>E</sup>	6.88	
N87 <sup>E</sup>	2.42	
N45 <sup>E</sup>	5.73	
N23 <sup>E</sup>	3.14	
N30 <sup>E</sup>	4.00	
N24 <sup>E</sup>	5.59	
N43 <sup>E</sup>	2.75	to line between Sec. 17 & 18

N23 <sup>E</sup>	6.40	
N26 <sup>E</sup>	1.10	to line between Sec. 17 & 20,

N17 <sup>E</sup>	4.54	
N31 <sup>E</sup>	9.30	
N58 <sup>E</sup>	4.28	
N75 <sup>E</sup>	2.35	

T4N R3E, 2<sup>nd</sup> Mer. Indiana

N83E	3.80	
N79E	4.64	
N69E	2.60	
N60E	2.88	
N38E	4.84	
N24E	5.86	a creek 80 yds. wide
North	1.30	
N10E	5.46	
N81E	8.25	
N46E	7.46	
N77E	6.50	
N71E	5.18	
N39E	6.30	
N28E	3.02	
N37E	7.37	
N42E	8.00	
N52E	4.00	
N71E	5.35	
N89E	2.52	to line between Sec. 20 & 21
<hr/>		
N87E	7.26	in Sec. 21, T4N, R3E.
N87E	5.18	
N82E	2.35	
N80E	10.53	
N61E	2.40	
N49E	3.82	to line between Sec. 16 & 21,
<hr/>		
N7E	2.54	in Sec. 16, T4N, R3E,
N30W	7.59	to the lower end of an Island
N2E	6.66	
N18W	4.59	
N10E	4.57	to the upper end of an Island
East	3.67	

207

T4N. R3E. 2<sup>nd</sup> Mer. Indiana

S53E 6.05

S39E 7.00

S54E 4.81

S60E 2.97

S72E 3.75

S80E 3.68

East 1.68 at Brook 10 ft. wide

N85E 9.46

N64E 2.75

N49E 1.50

N42E 4.00

N48E 1.25

N33E 14.03

N18E 1.27

N15E 2.67 to line between Sec. 15 &amp; 16.

N80E 3.86 in Sec. 15, T4N. R3E.

N89E 4.27

S63E 4.82

S37E 5.49

S13E 2.39

S24E 12.37

S17E 1.28

S20E 5.48

S30E 4.68

S46E 3.61 to line between Sec. 15 &amp; 22. June 5, 1807

S41E 3.91 in Sec. 22, T4N. R3E.

S57E 9.55

S63E 4.63

S69E 7.45

S78E 4.52

East 3.80

T4 N. R3 E. 2<sup>nd</sup> Mer. Indiana

185 E 10.52

161 E 4.63

136 E 2.02

148 E 1.72 to line between Sect. 22 &amp; 23

129 E 4.54 to the Mouth of Muscatituck

128 1/2 W 3.80 to line between Sect. 14 &amp; 23, T4 N. R3 E

110 W 2.47 mi Sec. 14, T4 N. R3 E.

109 E 6.10

128 E 2.48

160 E 6.77

169 E 2.36

178 E 3.24

168 E 2.00

186 E 3.03

171 E 4.15

153 E 4.05

129 E 2.17

139 E 2.19

119 E 3.23

127 W 2.39

111 W 7.95

156 W 3.92

144 W 3.58

126 W 7.88

107 E 3.26

109 E 3.40

112 E 2.80

119 W 17.18

135 E 4.96

109 E 1.46 to line between Sect. 11 &amp; 14, T4 N. R3 E.

S4 N. R3 E. 2<sup>d</sup> Mer. Indiana

N57 E	4.76	in Section 11, S4 N. R3 E.
S83 E	7.42	
S76 E	5.31	
N89 E	6.02	
N73 E	2.56	
N82 E	1.34	
N64 E	3.47	
N44 E	4.00	
N36 E	2.09	
N25 E	5.08	
N14 E	1.65	
N4 E	1.69	
N13 W	1.11	
N6 W	2.40	
N31 W	1.51	
N25 W	4.31	
N43 W	4.39	
N56 W	3.37	
N60 W	8.18	at 5.50 at Brook 10 W, wide
N67 W	5.63	
N58 W	6.88	
N36 W	5.34	
N25 W	1.28	
N38 W	3.74	
N49 W	5.20	
N35 W	10.68	
N43 W	5.97	
N17 W	3.42	
N9 E	4.12	
N23 E	1.90	
N50 E	1.69	
N63 E	6.21	
N69 E	8.50	

## T4N R3E. 2. Mer. Indiana

N60E	0.65	to line between 2 <sup>d</sup> 11. T4N. R3E.
N70E	8.81	
N79E	3.70	
N67E	3.84	
N61E	2.00	
N47E	4.75	
N42E	3.80	
N28E	7.63	
N18E	7.07	
N50E	3.59	
N41E	5.73	
N31E	2.73	
N6E	4.48	
N15 <sup>th</sup>	1.70	
North	1.87	
N21 <sup>th</sup>	1.94	
N33 <sup>th</sup>	6.59	
N48 <sup>th</sup>	6.35	
N57 <sup>th</sup>	4.05	
N28 <sup>th</sup>	7.03	
N16E	5.19	
N64E	8.60	
N68E	2.12	
N56E	3.28	
N69E	1.73	
N58E	5.56	
N82E	4.63	
N87E	2.98	
N77E	1.50	
N68E	3.33	
N62E	1.79	
N54E	0.61	to line between Sec. 1 & 2.

T4 N. R3 E. 2<sup>nd</sup> Mer. Indiana

N60 E 2.85 in Sec. 1. T4 N. R3 E.  
 N35 E 1.50  
 N39 E 3.06  
 N22 E 3.43 to the N. boundary of T4 N. R3 E.  
 Surveyed by William Harris, Rep. Sur.

South Between Secs. 2 & 3, T4 N. R3 E.  
 40.00 Set the q. Sec. post, from which  
 a Beech 7 in. dia. bears S38°W 11 lks. dist. &  
 a brown. 7 " " " S74 E 3 " "  
 80.00 Set a post Cor. to Secs. 2, 3, 10 & 11, from which  
 a Redbud 8 in. dia. bears N30 E 20 lks. dist. &  
 a Beech 8 " " " S5 E 19 " "  
 Level Rich land timber Beech ash Oak  
 Hickory & Walnut.

East Between Secs. 2 & 11, T4 N. R3 E.  
 7.17 Set post on the River Bank from which  
 a Brownwood 6 in. dia. bears N37°W 9 lks. dist. &  
 a Hickory 12 " " " S61°W 24 " "

South Between Secs. 10 & 11, T4 N. R3 E.  
 16.25 a Sugar 12 in. dia.  
 40.00 Set the q. Sec. post from which  
 a Beech 20 in. dia. bears N37°W 5 lks. dist. &  
 a Sugar 10 " " " S85 E 27 " "  
 73.00 pond 2 Chains wide leading S. W & S. E  
 80.00 Set a post Corner to Secs. 10, 11, 14 & 15 from which  
 a Beech 9 in. dia. bears S26 E 6 lks. dist. &  
 a B. Oak 29 " " " N26°W 21 " "

East Between Secs. 11 & 14, T4 N. R3 E  
 10.00 a pond 2 Chains South

T<sub>4</sub>N R3E T<sub>2</sub> Mer. Indiana

15 . 00 Set a post on the River from which  
 a Boxelder 8 in. dia. bears S38W12 lks. dist.  $\frac{1}{2}$   
 a Hackberry 10 " " " S75W21 " "

South Between Secs. 14 & 15 T<sub>4</sub>N. R. 3E,

8 . 75 W. Ash 30 in. dia.

11 . 00 a pond 2.50. S.E.

40 . 00 Set the q. Sec. post from which  
 a Ironwood 6 in. dia. bears N10E28 lks. dist.  $\frac{1}{2}$   
 a Hackberry 20 " " " N83E13 " "

60 . 00 to a Redbud 8 in. dia. On the River Land the Same

South Between Secs. 3 & 4 T<sub>4</sub>N. R. 3E

40 . 00 Set the q. Sec. post from which  
 a Beech 10 in. dia. bears S24E20 lks. dist.  $\frac{1}{2}$   
 a Sugar 10 " " " S54W9 " "

80 . 00 Set a post Corner to Secs. 3, 4, 9 & 10 from which  
 a Beech 20 in. dia. bears S27E22 lks. dist.  $\frac{1}{2}$   
 a W. Ash 20 " " " N43W22 " "

East Between Secs. 3 & 10 T<sub>4</sub>N. R. 3E Random

40 . 00 Set temp. q. Sec. post

80 . 00 Intersected the N. & S. line 17 lks. North of post  
 Land the Same

West On true line Between Secs. 3 & 10 T<sub>4</sub>N. R. 3E.

40 . 00 Set the q. Sec. post at average dist. from which  $\frac{1}{2}$   
 a Maple 15 in. dia. bears S76W20 lks. dist.  $\frac{1}{2}$   
 a Beech 12 " " " S25E5 " "

80 . 00 to Section Corner

South Between Secs. 9 & 10 T<sub>4</sub>N. R. 3E

40 . 00 Set the q. Sec. post from which

T<sub>4</sub>N<sub>3</sub>E<sub>2</sub> Mer. Indiana

a Beech 10 in. dia. bears S 9 W 15 lks. dist. of  
 an Ironwood 6 " " " N 18 W 18 " "  
 80 . 00 Set a post Corner to Secs. 9, 10, 15, 16, from which  
 a Hickory 10 in. dia. bears S 71 E 21 lks. dist. of  
 a Beech 10 " " " N 7 W 25 " "  
 Land the same

East Between Secs. 10 & 15 T<sub>4</sub>N<sub>3</sub>E<sub>2</sub> on Random  
 40 . 00 Set temp. of Sec. post  
 76 . 00 a pond 3 Chains wide  
 80 . 00 Intersected the N. & S. line at the post  
 Land the same

West On true line Between Secs. 10 & 15 T<sub>4</sub>N<sub>3</sub>E<sub>2</sub>  
 40 . 00 Set the of. Sec. post at average dist. from which  
 a Hackberry 12 in. dia. bears S 51 E 15 lks. dist. of  
 a Ironwood 6 " " " S 33 W 10 " "  
 80 . 00 to Section Corner

South Between Secs. 15 & 16 T<sub>4</sub>N<sub>3</sub>E<sub>2</sub>  
 33 . 75 Sycamore 96 in. dia.  
 37 . 50 Set post on the River bank from which  
 a Hickory 6 in. dia. bears N 15 W 8 lks. dist. of  
 a Boxelder 18 " " " S 73 E 22 " "  
 Land the same

South Between Secs. 4 & 5 T<sub>4</sub>N<sub>3</sub>E<sub>2</sub>  
 40 . 00 Set the of. Sec. post from which  
 a W. Oak 12 in. dia. bears N 2 E 34 lks. dist. of  
 a Hickory 10 " " " N 71 E 21 " "  
 75 . 90 a Poplar 28 " "  
 79 . 00 a Brook 10 lks. S. W  
 80 . 00 Set a post Corner to Secs. 4, 5, 8, 9, from which



T4 N R3 E 2<sup>d</sup> Mer. Indiana

- 39.68 Let the q. Sec. post at average dist. from which  
 a Hackberry 6 in. dia. bears N42 W 21 lks. dist. of  
 a Do 8 " " " S46 W 16 " "
- 79.68 to Section Corner

- South Between Secs. 16 & 17 T4 N. R. 3. E  
 11.50 a Brook 20 lks. wide S. E.  
 36.50 to a Sugar 8 in. diameter Corners on the river bank  
 Sand the same rich & level

- South Between Secs. 5 & 6 T4 N. R. 3 E  
 40.00 Let the q. Sec post from which  
 a Beech 12 in. dia. bears N10 E 38 lks. dist. of  
 a Hickory 20 " " " S4 E 43 " "
- 78.00 a Brook 20 lks. S. E.  
 80.00 Let a post Corner to Secs. 5, 6, 7 & 8. from which  
 a Beech 12 in. dia. bears N30 E 9 lks. dist. of  
 a Do 18 " " " N35 W 28 " "  
 Sand Hilly timber Beech Oak & Hickory.

- East Between Secs. 5 & 8 T4 N. R. 3 E  
 14.00 a Brook 25 lks. South  
 38.00 a Do 10 " S. W.  
 40.00 Let the temp. q. Sec. post  
 76.00 a Brook, 12 lks. S. W.  
 78.04 Intersected the N. S. line 81 lks. South of post  
 Sand good, timber Beech Oak & Hickory

- West On true line Between Secs. 5 & 8 T4 N. R. 3 E  
 39.12 Let the q. Sec. post at average dist from which  
 a Beech 20 in. dia. bears S4 E 17 lks. dist. of  
 a Do 18 " " " N20 E 15 " "
- 78.04 to Section Corner

T4 N R3 E T<sup>n</sup> Mer. Indiana

South Between Sec. 7 & 8. T4 N R. 3 E.  
 29. 25 a Chestnut Oak 29 in. dia.  
 40. 00 Set the q<sup>t</sup>. Sec. post from which  
 a Sugar 10 in. dia. bears S 84 W 12 lks. dist.  $\frac{1}{2}$   
 a Beech 12 " " " S 18 E 16 " "

80. 00 Set a post Corner to Sec. 7, 8, 17, 18. from which  
 a W. Oak 12 in. dia. bears S 47 E 22 lks. dist.  $\frac{1}{2}$   
 a Hickory 10 " " " S 88 W 12 " "  
 Land the same.

East On Random Between Sec. 8 & 17. T4 N R. 3 E  
 40. 00 Set temp<sup>y</sup>. q<sup>t</sup>. Sec. post  
 75. 00 Brook 20 lks. South  
 80. 00 Intersected the N & S. line at the post  
 Land flat timber Beech.

West On true line Between Sec. 8 & 17. T4 N R. 3 E  
 40. 00 Set the q<sup>t</sup>. Sec. post at average dist. from which  
 a Beech 6 in. dia. bears N 4 W 11 lks. dist.  $\frac{1}{2}$   
 a Sugar 12 " " " N 85 W 6 " "  
 80. 00 to Section Corner.

South Between Sec. 17 & 18. T4 N. R. 3 E.  
 16. 00 a Brook 10 lks. wide Course S. E.  
 20. 00 a Beech 20 in. dia.  
 33. 50 a pond S. W. and N. E.  
 40. 00 q<sup>t</sup>. Sec. Cor. in the pond  
 42. 50 to S. E. side of the pond  
 57. 32 to Sycamore 20 in. dia. Cor. on the riverbank  
 Land the same timber Beech

West Between Sec. 6 & 7. T4 N R. 3 E.  
 30. 00 a Brook 10 lks. Course S. E.

T4 N. R3 E. 2<sup>d</sup>. Mer. Indiana

- 40.00 Let the q. Sec. post, from which  
a Beech 10 in. dia. bear N36W 18 lks. dist. of  
a Sugar 6 " " " N81E 7 " "
- 72.20 Intersected the W. boundary 20 lks. N. of post  
let a post Cor. to Sec. 6 & 7, from which  
a Beech 5 in. dia. bear N26E 15 lks. dist. of  
a Do 6 " " " N43W 9 " "
- Over very hilly land, timber Oak & Hickory

West Between Sec. 7 & 18, T4 N. R3 E.

- 17.00 at Brook 10 lks. wide Course S.
- 23.00 a Do 10 " " " S.
- 40.00 Let the q. Sec. post, from which  
a Sugar 10 in. dia. bear N74E 12 lks. dist. of  
a Poplar 8 " " " N78W 11 " "
- 71.74 Let post on the W. boundary (29 lks. N. of post)  
Cor. to Sec. 7 & 18, T4 N. R3 E. from which  
a Beech 20 in. dia. bear N64E 17 lks. dist. of  
a Do 8 " " " N15E 16 " "
- Land the same, very hilly.

East Between Sec. 18 & 19, T4 N. R3 E.

- 18.50 Let a post on the Right bank of White River from which  
a W. Oak 24 in. dia. bear N64W 31 lks. dist. of  
an Elm 10 " " " N63W 14 " "
- Land level and rich.

Meanders of the Right bank of White River  
from the West boundary of Town 4 N. R3 E.  
Shucee up stream.

N35E 5.00 in Sec. 19, T4 N. R3 E.

N32E 18.00

N40E 9.50 to line between Sec. 18 & 19, T4 N. R3 E.

# T4 N. R3 E. T. Mer. Indiana

N40 E	9.50	in Sec. 18, T4 N. R3 E.
N51 E	35.00	
N75 E	12.50	
S35 E	8.00	
S20 E	4.00	to line between Sec. 17 & 18

S27 E	36.00	in Sec. 17, T4 N. R3 E.
N79 E	6.00	
N24 E	9.50	
N12 E	14.00	
N38 E	14.50	
N45 E	11.50	
N66 E	14.00	
S48 E	10.00	
S32 E	14.50	
S82 E	20.50	
N86 E	5.77	
North	2.00	
N64 W	10.00	
N69 W	9.00	
N52 W	4.50	
N54 W	4.50	
N34 W	8.50	
N15 W	7.50	
N11 E	9.00	
N49 E	7.94	to line between Sec. 16 & 17

N65 E	9.00	in Sec. 16, T4 N. R3 E.
S17 E	12.00	at 5.00 a Brook 25 ft. wide
S47 E	27.00	
S65 E	22.50	
N55 E	9.00	
N15 E	11.00	

S4N R3 E. 2<sup>d</sup> Mer. Indiana

N47 E	10.40	
N73 E	1.96	to line between Sec. 15 & 16

N73 E	6.00	in Sec. 15, S4N, R3 E.
-------	------	------------------------

N65 E	12.00	
-------	-------	--

N46 E	8.50	
-------	------	--

N23 E	28.50	
-------	-------	--

N47 E	10.00	
-------	-------	--

N68 E	9.00	
-------	------	--

N79 E	14.00	
-------	-------	--

N82 E	9.50	
-------	------	--

N52 E	3.50	
-------	------	--

N4 E	6.50	
------	------	--

N69 N	9.50	
-------	------	--

N35 E	6.90	to line between Sec. 14 & 15
-------	------	------------------------------

N50 E	7.00	in Sec. 14, S4N, R3 E.
-------	------	------------------------

N79 E	10.00	
-------	-------	--

N50 E	11.00	
-------	-------	--

N40 N	15.00	
-------	-------	--

N39 N	13.00	
-------	-------	--

N8 E	9.50	
------	------	--

N99 N	8.50	
-------	------	--

N11 E	5.50	
-------	------	--

N22 E	2.50	to line between Sec. 11 & 14
-------	------	------------------------------

N22 E	2.00	in Sec. 11, S4N, R3 E.
-------	------	------------------------

N47 E	15.00	
-------	-------	--

N84 E	10.00	
-------	-------	--

N85 E	9.50	
-------	------	--

N47 E	8.10	
-------	------	--

N10 E	5.50	
-------	------	--

N35 N	6.00	
-------	------	--

# T4N R3E. 2<sup>d</sup> Mer. Indiana

N60W	11.50	
N70W	10.00	
N43W	23.00	
N56W	15.00	
N17W	8.00	
North	7.00	
N33E	6.00	to line between Sect. 2 & 11
<hr/>		
N40E	9.00	in Sec. 2, T4N, R3E.
N67E	30.00	
N33E	9.00	
N25E	20.00	
N13E	6.00	
N60W	11.00	
N23W	9.50	
North	8.50	at Brook 25th. wide
North	4.50	
N66E	6.00	to post mid N. boundary T4N, R3E.
<hr/>		
From post mid N. boundary E. side of Kend in Sec. 2, T4N, R3E.		
N60E	12.50	in Sec. 2.
N77E	8.00	
N25E	4.80	to N. boundary at corner of Sect. 35 & 36, T5 N, R3E.
Surveyed by Arthur Harris, D.S.		

I Certify, that the foregoing transcripts of field notes of  
Township N. 4 N. Range N. 3 E. T. 2 Mer. Indiana, has  
been Comp'd. with the original notes, and found to be Correct.  
Surveyor General's Office

Cincinnati, April 19<sup>th</sup> 1841

W. S. Rains

Sur. Genl.